

ALUMINIUM
**FACADE
PROFILES**

**They are perfectly applicable
both outdoors and indoors!**

Facades can be installed on decorative walls and ceilings from aluminum profiles.

2024

PRODUCT CHARACTERISTICS

Our facade profile family consists of decorative wall and ceiling aluminum profiles that can be used both indoors and outdoors.

The profiles have been created in such a way that, when fitted together, they form a complete, connected decorative wall. They can be installed at any angle, vertically and in water color, they perfectly match the requirements of the modern age. They are favorite decorative elements for family and residential houses built in a modern style, as they can be used to emphasize the ultra-modern design.

Compared to other materials used for wall cladding, aluminum facade profiles are extremely durable, solid and completely maintenance-free. With the right equipment, your home will be decorated for decades.

Thanks to the powder coating, they retain their color for a long time and do not fade, moreover, you can choose from an extremely wide color palette, whether you want a monochromatic profile or wood imitation.

WHY TO CHOOSE
**ALUMINIUM
FACADE SYSTEM?**



VARIOUS
DECORATIVE
OPPORTUNITIES

1.

SOUND INSULATION,
HEAT INSULATION

2.

MAINTENANCE FREE
CORROSION RESISTANT

3.

MOISTURE RESISTANT
FIRE RESISTANT

4.

MODERN DESIGN
EASY MOUNTING

5.




ENVIRONMENTAL-
FRIENDLY
REUSABLE


6.

LIGHT STRUCTURE,
POWER SAVING

7.


MOUNTING OPTIONS






PROFILES

BASIC PROFILE




EX0446

STARTER AND EXTENDER PROFILE




EX0447




EX0448


CLOSED DECOR PROFILE



EX0449




EX0450




EX0455

EX0454

LED DECOR PROFILE




EX0452



EX0453

OPEN DECOR PROFILE



EX0451



FACADE PROFILE INSTALLATION


The installation of aluminum facade profiles does not require a high level of professional knowledge, it is important to be aware of the basic properties of aluminum.

They are mounted with special screws vertically or horizontally on a wooden frame (in the case of a flat surface, they can also be installed directly on the wall without a wooden frame).

Their advantage is that they can be installed not only on the wall, but also on the ceiling.



INSTALLATION ON SLEEPER PROFILE



WALL

1.

SLEEPER

2.

FIXING SCREW

3.

BASIC
PROFILE

4.

STARTER
PROFILE

5.


DECOR
PROFILE

6.

CONNECTING
PROFILE

7.


INSTALLED DIRECTLY ON THE WALL



The design of the profiles was designed in such a way that no edge sealing is necessary.



The support beams are attached horizontally to the wall at a distance of 400 mm, then the aluminum facade profiles are attached vertically.

In the case of outdoor wall cladding, it is recommended to fill the gaps between the joists with insulating material in order to avoid condensation on the profiles.



FACADE PROFILE TYPES

CLOSED 1



WALL

1.

SLEEPER

2.

FIXING
SCREW

3.

BASIC
PROFILE

4.

STARTER
PROFILE



5.

DECOR
PROFILE



6.

CONNECTING
PROFILE



7.



The basic profiles can be connected using connectors, so any width of wall surface can be covered with the help of wall coverings.



CLOSED 2



WALL

1.

SLEEPER

2.

FIXING
SCREW

3.

BASIC
PROFILE

4.

STARTER
PROFILE



5.

DECOR
PROFILE

6.

CONNECTING
PROFILE

7.




FACADE



PROFILE INSTALLATION



CLOSED 1



CLOSED 2



WALL

1.

SLEEPER

2.

FIXING
SCREW

3.

BASIC
PROFILE

4.

STARTER
PROFILE


5.




DECOR
PROFILE

6.

CONNECTING
PROFILE

7.





LED 2 SIDE

WALL

1.

SLEEPER

2.

FIXING
SCREW

3.

BASIC
PROFILE

4.

STARTER
PROFILE





5.

DECOR
PROFILE


10.

LED

11.



OPEN PROFILE 1



WALL

1.

SLEEPER

2.

FIXING
SCREW

3.

BASIC
PROFILE



4.

STARTER
PROFILE


5.

DECOR
PROFILE



9.




FACADE PROFILE TYPES





FACADE PROFILE COMBINATIONS







FACADE PROFILE INSTALLATION


FACADE PROFILE INSTALLATION METHODS



EX0449			
EX0450		EX0454	
EX0451		EX0452	
EX0455		EX0453	




EX0449	
EX0454	
EX0450	
EX0451	
EX0455	
EX0452	
EX0453	




FACADE PROFILE INSTALLATION METHODS

VERTICAL INSTTALLATION






INSTALLATION IN 90°ANGLE




INSTALLATION IN 90°ANGLE



FACADE PROFILE INSTALLATION METHODS





 **RELAX 2000** S.R.O.

Hadovská cesta 5,
94501 Komárno, Slovakia
tel.: +421 35 790 1412
e-mail: info@relax-2000.sk
web: www.relax-2000.sk