





relax 2000



PRODUCT Catalogue

ROLLER SHUTTERS
SCREENS
EXTERNAL BLINDS
INSECT SCREENS
PERGOLA & BIOCLIMATIC SYSTEMS
SHUTTERS
AL DOORS/ WINDOWS
GARAGE DOORS
WINDOWSILLS

SHADING EQUIPMENT

**Directly from the
manufacturer**











Hádovská cesta 5,
945 01 Komárno, Slovakia



info@relax-2000.sk



www.relax-2000.sk



OUR COMPANY PHILOSOPHY IS

**Production of
own Complete Systems,
High Quality Products,
Continuous Development.**

25 YEARS ON THE MARKET Since 1997

ABOUT US

Relax 2000 s.r.o. operates on the slovak market since 1997. Its main priority is production and development of own profiles and components for shading technologies (equipment).


Other important activity is the plastic profiles extrusion, injection moulding components production as well as metalworks. As we possess of free capacity, good technology and educated employees, we are also engaged in the production for third part companies. Relax 2000 has got its own construction department.

Our products are sold by more than 100 companies throughout Western and Eastern Europe. Relax 2000 is the owner of the international certificate TUV 9001:2000.



VAKO System

VAKO Roller Shutter



VAKO

Roller Shutters


Concerning a window-blinds system, VAKO is the latest product of our company. It is a cameral hood moulding, in- pargetable extruded plastic profile window-blinds system in variable sizes. Its advantage is in its universal use - the blinds can be repaired and are accesible from three different sides (3 revisory clacks).

It is possible to in-built the blinds from two sides. The blinds have a very good thermo-insulating qualitys and it is possible to handle them either manually or automatically. It is possible to built-in an integrated in-drum installed net. Thanks to many kinds of setting (shouldering) profiles VAKO can be installed in all kinds of windows.


Class 4, K-0,6	EXTRA 255x250 box				EXTRA 255x210 box				EXTRA 210x210 box				EXTRA 210x190 box			
Max. installation height incl. the box	SIMPLE		KOMBI		SIMPLE		KOMBI		SIMPLE		KOMBI		SIMPLE		KOMBI	
AL PROFILE AL39	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	36 mm
Max. width 2,6 m																
Max. sheet 7,8 m ²	370	350	370	260	324	304	267	260	295	275	254	260	280	260	218	160
Weight 2,55 kg/m ²																
AL PROFILE AL43	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	36 mm
Max. width 3,0m																
Max. sheet 9,0 m ²	360	345	360	260	318	303	264	260	295	275	249	260	270	250	202	160
Weight 2,38 kg/m ²																
PVC PROFILE P37	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	36 mm
Max. width 1,8 m																
Max. sheet 4,5m ²	355	345	355	260	309	290	259	260	290	270	254	260	280	260	199	160
Weight 2,59 kg/m ²																
PVC PROFILE P53	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	43 mm	40 mm	60 mm	40 mm	36 mm
Max. width 2,5 m																
Max. sheet 6,5m ²		245	245	260			212	180	260			205	180	260		
Weight 3,4 kg/m ²																

VAKO System


VAKO 255x250 Kombi




VAKO 255x250 Simple




VAKO 255x210 Kombi




VAKO 210x210 Kombi




VAKO 210x190 Kombi




VAKO 255x210 Simple



VAKO 210x210 Simple




VAKO 210x190 Simple




VAKO SYSTEM

Profiles

PVC PROFILES



AL PROFILES



ROLLER SHUTTER

Basic System

Two in one system is the combination of window-blind and insectscreen. Its main advantage is that both - the blind and the net - are put together in one drum but can be used separately. The net is ended by an ending profile UNI, „the hook profile“, KLIK-KLACK.

All these in-blinds installable nets are made of rods with the length of 6 m and they include the arbor, fixed net and ending profile thanks to which the production is easier, less demanding and the waste production is minimal.

Our Aluminium and PVC systems are also variable like that for our customers it is easy to find products they imagine.

Available types of shutters:


1x45° with extruded aluminium service panel

1x20° with extruded aluminium service panel







1x90° with extruded aluminium service panel


1x90° with extruded aluminium service panel and extruded aluminium plastener profile

Drums are made from aluminium tin-plates in single or double fulfillment. Straps and the guiding rails are designed in different colours based on the book of colours. Depending on our customer's demand, it is possible to combine our window-blinds systems as the components are compatible and there is the option of choosing a manual or automatic handling.




PVC PROFILES






BENDED ROLLER
SHUTTER BOX 45°

Box Dimensions	A	B	C	D	E
138	136	136	91	52	60
150	151	148	99	58	69
165	166	163	109	64	78
180	181	179	124	64	97
205	206	202	143	70	112




BENDED ROLLER
SHUTTER BOX 20°

Box Dimensions	A	B	C	D	E
138	136	136	106	39	62
150	151	148	118	47	65
165	166	163	134	62	64
180	181	179	144	66	78
205	206	202	166	83	84



BENDED ROLLER
SHUTTER BOX 20°
it can be plastered,
with extruded moun-
ting panel


Box Dimensions	A	B	C	D	E
138	136	135	100	39	63
150	149	148	114	50	67
165	165	164	127	64	68
180	180	179	141	67	80
205	204	203	161	85	88



EXTRUDED ROLLER
SHUTTER BOX
45°/20°


Box Dimensions	A	B	C	D	E
138	136	136	91	52	60
150	151	148	99	58	69
165	166	163	109	64	78
180	181	179	124	64	97
205	206	202	143	70	112

ROLLER SHUTTER Boxes




BENDED ROLLER
SHUTTER BOX 90°

Box Dimensions	A	B	C	D
138	136	136	136	91
150	151	148	148	103
165	166	163	163	118
180	181	179	179	133
205	206	202	202	158



BENDED ROLLER
SHUTTER BOX 90°
it can be plastered,
with extruded moun-
ting panel

Box Dimensions	A	B	C	D
138	136	136	136	91
150	151	148	148	103
165	166	163	163	118
180	181	179	179	133
205	206	202	202	158




EXTRUDED ROLLER
SHUTTER BOX 90°

Box Dimensions	A	B	C	D
138	136	136	136	91
150	151	148	148	103
165	166	163	163	118
180	181	179	179	133
205	206	202	202	158

ROLLER SHUTTER

R2 End Caps



45°


90°

90° plastered

ALUMINIUM END CAPS
45°, 90°, 90° BENDED

Dimensions

137 150 165 180 205




20°/45°

90°

PLASTIC END CAPS
20°/45°, 90°

Dimensions

137 150 165 180 205



20°/45°


90°

SPLITTING END CAPS
20°/45°, 90°


Dimensions

137 150 165 180 205


ROLLER SHUTTER Standard End Caps




20°



45°



90°



Half Round



Round

ALUMINIUM END CAPS 20°,
45°, 90°, Half Round, Round


Dimensions

137	150	165	180	205

ALUMINIUM

Slats


Rollformed aluminum slats 39 mm with standard density polyurethane, with perforation.



Product code

RA 39 01

Profile height (mm)	Profile width (mm)	Profile height (mm)	Thickness (mm)	Weight / m ² (kg)	Slats/m ²	Max. width (mm)	Max. sheet (m ²)	Lenght (mm)	Package (m)
44,6	8	39	0,28	2,7	25,6 m	2 600	7,8	6 000	300



Product code

RA 392 01


Profile height (mm)	Profile width (mm)	Profile height (mm)	Thickness (mm)	Weight / m ² (kg)	Slats/m ²	Max. width (mm)	Max. sheet (m ²)	Lenght (mm)	Package (m)
44,6	8	39	0,28	2,7	25,6 m	2 600	7,8	6 000	300

NGE

											
01 White	02 Grey	03 Silver	04 Beige	05 Dark brown	06 Golden oak	07 Mahogany	08 Nut	09 Dalmat green	10 Antracit	11 Fenstern	12 Ivory

PVC Slats


PVC extruded slats 37 mm, 40 mm and 53 mm with perforation.



Product code

RP 32 F
RP 33 F
RP 35 F

Product code	Profile height (mm)	Profile width (mm)	Profile height (mm)	Thickness (mm)	Weight / m ² (kg)	Slats/m ²	Max. width (mm)	Max. sheet (m ²)	Length (mm)	Package (m)
RP 32 F	43,5	8,2	37	0,5	2,50	27 m	1 800	4,5	6 000	300
RP 33 F	43,5	8,2	37	0,6	2,70	27 m	2 000	4,8	6 000	300
RP 35 F	43,5	8,2	37	0,65	2,97	27 m	2 200	5	6 000	300



Product code


RP 53 F

Profile height (mm)	Profile width (mm)	Profile height (mm)	Thickness (mm)	Weight / m ² (kg)	Slats/m ²	Max. width (mm)	Max. sheet (m ²)	Length (mm)	Package (m)
60,2	13,2	53	0,7	3,4	18,9 m	2 500	6,5	6 000	300

COLOUR RANGE



01
White



02
Grey



03
Beige



04
Beige Wood



05
Light brown



06
Coffee



07
Dark wood




08
Dark brown



09
Transparent


AL ROLLER SHUTTER Profiles



ROLLER SHUTTER Vario System


VARIO

I.




VARIO

II.




ROLLER SHUTTER R2 VARIO SYSTEM

Vario system



EXTERNAL BLIND R2 VARIO SYSTEM

Vario system



INSECTSCREEN Systems


FIXED SCREENS

Fixed screens systems were also developed because of the growing market demands.


They are popular for their low price and high quality. These products are made of the high quality materials: Extruded aluminium profile, glass fibre PVC coated net. This guarantees their weather resistance.

They are very easy to install and uninstall on windows or door with no need of any tools. Extruded profile is made in 6 m length.


AL PROFILES



PVC PROFILES




PVC CORNER PROTECTION



FIXED SCREENS TO PVC OR AL WINDOWS



INSTALLING OPTIONS:

ALU ISSO 9x32



ALU 11x26


PVC 18x32




F1) turnable iron strap
(ISSO)



F2) "Z" shape console
(Fix 11x26, 13x23)



F3) ringle with spring



F4) PVC ringle (inside)
(Fix 24x24)



F5) PVC ringle (outside)
(Fix 7x17, 11x26)




F6) magnetic corner
(Fix 11x26)



F7) mirror button
(PVC 18x32)

RIGLE INSTALLING OPTIONS:



INSECTSCREEN DOOR Systems

HINGED DOORS

Screens door is made of the high quality material and for comparison to other products the aluminium profile is more robust.

This guarantees the quality of the door. The maximal sealing effect is guaranteed by brush seals installed in the profile's sparring. Thanks to the material the products are permanent and keep their quality in spite of the changing weather conditions. It is possible to install the door into the areas for disabled people.


There are components and different kinds of hinges, brushseals or belt magnets for all kinds of doors. The door profiles are made in 6 m lenght.

43x20 DOOR PROFILES


SO 11 230



SO 12 050




SO 13 110




SO 13 010





SO 12 010




SO 12 060



WITH SPACER PROFILE




STULP FOR DOORS WITH 2 WINGS




23X13 DOOR PROFILES

SF 60 004



SF 60 001




SF 60 002



SF 60 006



SO 12 060



45X27,5 DOOR PROFILES

SB 11 030



SB 13 110




SB 13 010




40X20 DOOR PROFILES


SO 11 030



SO 11 130



SO 13 110



SO 13 010



45X20 DOOR PROFILES

SF 11 030



SF 13 010



SLIM DOOR WIT



STULP FOR DOORS WITH 2 WINGS



SLIDING DOORS

The sliding insect screen doors became indispensable in our days. Reacting to the increasing demand, Relax 2000 developed a modern sliding door made out of high-quality materials. The extruded, powder coated profiles are improving the strength of the door frame, while the fibreglas mesh provides higher durability. The sliding door comes with an individual frame, which could be used at the same time with single or double opening sashes.

The perfect closing of the sliding door is guaranteed by brush sealings. The sliding system could be applied for windows and doors as well. Easy to move due to the rollers, the sliding door can be operated without any effort in larger structures as well. All needed parts are available for each door types. The suitable brush sealings and magnets are supplied to the frame profiles.


The insect screen - sliding doors are available in order-made-to sizes or in parts supplied in 6 meter lengths with all the required accessory parts.

AL PROFILES


SF 35 001



SF 35 003



SF 35 002




SF 35 004



SB 35 001



SB 35 003




SB 35 002



SB 35 001




Simple opening



SIMPLE OPENING

Recommended	Width	Height
Min.	700	600
Max.	2 200	2 300

Double opening



DOUBLE OPENING

Recommended	Width	Height
Min.	1 200	1 500
Max.	2 200	2 500

SCROLLING SCREEN Systems

PVC SCROLLING SCREENS

PVC scrolling net was developed due to the growing market demands.

It is fully changed clever solution adaptable and it takes into account the price and the value relation. Scrolling insect screen is made of high quality materials and it differs from other products by following features: extruded rigid PVC profiles, PVC coated fiberglass screen (improves the ambient conditions resistance), plastic complements and steel spring.

Components are available to all different models. The scrolling insect screens are sold in 6 meter pieces together with the drum, axle, screen net and bottom anchor. This allows a made to measure production with optimal material consumption and low waste production.

This insect screen can be also delivered in pre made to size with all components needed and to all PVC gain, we offer suitable brushseals and the others needed tool kits.


All our profiles are made in white colour or covered by special surface foil, renolit named. The PVC scrolling screens are available in individual sizes with complete kits to easy using.

SIMPLE OPENING


Recommended	Width	Height
Min.	400	600
Max.	1 600	2 000 *

PVC PROFILES


SO 10 041



SP 22 010




SP 73 130



SCROLLING SCREEN Systems

AL SCROLLING SCREENS



Scrolling screen was developed due to the growing market demands.


It is conformity to relevant changes and intelligent solutions combines expansion with excellent action without raising expenses and takes into account price and value relation.

Scrolling screen represents the development and functionality. It is made of high quality material and it differs from other products by following features: extruded coloured aluminium, glass fibre PVC coated net (improves the ambient conditions resistance), plastic complements and steel spring. Thanks to these materials scrolling net becomes time-resistant.


Components are available to all different models. Scrolling nets are sold in 6 m pieces together with drum, axle, net and bottom batten. This allows a made-to-measure production with optimal material consumption and low waste production.

This net can also be delivered in premade sizes with all components needed.

Click-clack I.




Click-clack II.




Available in complete kit



Click-clack III.



AL PROFILES




AL SCROLLING SCREEN DOORS

Simple door



Double door



GARAGE DOOR Systems

ROLLER SHUTTER DOOR

In houses and other buildings the main function of garage gates is mainly the security. They provide several functions, since they can be built inside new and older buildings, they aren't use up too much space and are perfect for building types where the garage path is short, or the garage directly opens to the street. The uplifted doorsill is not blocking the view, so it is safe to drive out.


The laths are heat- and soundproof. To increase the incoming light, it is possible to put fittings made of glass in the shutters.

The structure is withstanding against the physical penetrations, and the counter-rails help

to make the gate solid. The "standard" scaled gate is equipped with special defense system against unwanted external actions. In the case of shortstop and power failure the gate can be opened and closed with a handle. Thanks to the remotely controlled actuation the handling of the gate is simple to use and comfortable.

About the material of the gate profiles, they are made of high quality aluminum with pressing technology. The surface treatment is either electrostatic spray painted or anodized. They are withstanding against many different weather conditions, they are long lasting and easy to clean. The slats can be combined with glass or ventilating profiles.

AL PROFILES



PVC Windowsills

UNIVERZAL PVC WINDOWSILLS



PVC-EXTRUDED

This is an universal window board (internal, external) we produce it with special extrusion technology using german PVC of a very good quality.

We have different types of finishing:

- in his material white, UV Resistant PVC
- recycled PVC, or with covering Renolit or RELAX LONG LIFE laminate foil, with several wood decors or RAL colours

For all type of window boards we put protective foil. We offer in different sizes: wide 50-500 mm and lenght 6 meters or we can cut it according to customers demands.



PVC SNOW WHITE

It is made of very high UV resistant PVC of german quality. Internal and external using as well.

Easy to be mounted



PVC covering does not contain formaldehyde

Are made of harmless materials Vitrage ECO



High moisture and vapor resistance

High stability to UV-beams



Using up to 25 years

Is subjected to burning



Low stability to formation of scratches

Easily washed by liquid washing-up liquids (not abrasive)



Weak resistance to acid substances

PVC RENOLIT

The profil is finished with a different types of Renolit foil with wood decors or RAL colours. It guarantees high quality and durability.

Easy to be mounted



PVC covering does not contain formaldehyde

Are made of harmless materials Vitrage ECO



High moisture and vapor resistance

High stability to UV-beams



Using up to 25 years

Is subjected to burning



Low stability to formation of scratches

Easily washed by liquid washing-up liquids (not abrasive)



Weak resistance to acid substances

PVC RLL

Profil is finished with a different types of RELAX LONG LIFE laminat foil with wood decors or RAL colour. This foil easily withstands scratches so it's the best quality in the market.

Easy to be mounted



PVC covering does not contain formaldehyde

Are made of harmless materials Vitrage ECO



High moisture and vapor resistance

High stability to UV-beams



Using up to 25 years

Is hardly combustible



High stability to formation of scratches

Easily washed by liquid washing-up liquids and abrasives substances




High stability to acid

WINDOWSILL Packers

The sill packers are available in types and versions fitting different window systems. The multiple chambers are providing excellent insulation moreover improving the overall profile strength.


Window sill packer with gasket

Gasket can be inserted into all types of window sill packers.




POP40AP

ALUPLAST




POP40SC

SCHÜCO




POP45GE

GEALAN




POP40DE

DECEUNINCK




POP40KB

KBE




POP45VK

VEKA




POP40RE

REHAU




POP40SP

SPECTUS




POP45IN

INOUTIC




POP40SA

SALAMANDER




The packers are produced from the same material as PVC window profiles. They can be connected directly to the roller shutter box. It is made for extension and raising of box, it helps by preparation of assembly of roller shutters..


TT50DE
DECEUNINCK




TT30DE
DECEUNINCK




TT50VE
VEKA




TT30VE
VEKA




TT50SC
SCHÜCO




TT30SC
SCHÜCO




TT50SP
SPECTUS




TT30SP
SPECTUS




TT50GE
GEALAN




TT30GE
GEALAN



TT50AP
ALUPLAST



TT30AP
ALUPLAST




FLAT Strips

The flat strips are produced from the same material as PVC window profiles. To help at the installation they can cover the gap between the wall and window frame. The soft lips are perfectly fitting to the plaster. The adjustable angle of the strips would cover even the smallest gaps.


For request the flat strips are available in different colours or wood-imitation decor foils.

TECHNICAL DETAILS

ORDER: BASED ON ARTICLE NUMBER, PACKED IN 6 METERS BAR OR IN ROLL IN CARTON.



TYP: TP0A



* on demand

TYP	A	B	C	D
TPF020*	20 mm	0 mm	1,5 mm	9 mm
TPF030*	30 mm	0 mm	1,5 mm	12 mm
TPF040*	40 mm	20 mm	1,5 mm	12 mm
TPF050*	50 mm	25 mm	1,5 mm	15 mm
TPF060*	60 mm	30 mm	1,5 mm	15 mm
TPF070*	70 mm	35 mm	1,5 mm	19 mm


* on demand

COLOUR Range


STANDARD COLOURS



STANDARD RENOLIT COLOURS



ANODIZED COLOURS



EXTRA RAL COLOURS



EXTRA RENOLIT COLOURS



ALL OUR PRODUCTS ARE SOLD IN COMPONENTS
OR CAN BE MADE TO MEASURE.

 **reLax 2000**

PRODUCT Catalogue

SHADING EQUIPMENT

**Directly from the
manufacturer**



Hadovská cesta 5,
945 01 Komárno, Slovakia



info@relax-2000.sk



www.relax-2000.sk

ROLLER SHUTTERS
SCREENS
EXTERNAL BLINDS
INSECT SCREENS
PERGOLA & BIOCLIMATIC SYSTEMS
SHUTTERS
AL DOORS/ WINDOWS
GARAGE DOORS
WINDOWSILLS